1939.

INTERIM

ANNUAL REPORT ON THE HEALTH

OF THE

COWES URBAN DISTRICT

BY

W. S. WALLACE, M.C., M.B., CH.B., D.P.H.,

Medical Officer of Health.

J. W. NEAL, Printer, 59, High Street, Cowes.

1940.

COUNTY HALL, NEWPORT, I.W.

October, 1940.

To the Members of the Cowes Urban District Council:-

MR. CHAIRMAN AND GENTLEMEN,

Circular 1961 of the Ministry of Health of the 16th February, 1940, which is a guide as to the contents and arrangement of the Medical Officer of Health's Annual Report, suggests that during the period of the war reports should be curtailed. A further circular 2067 dated 19th July urges the necessity for further curtailment of these reports and suggests that only interim reports should be made. For this reason this present report is composed mainly of statistical tables.

I am, Sirs,

Your obedient Servant,

W. S. WALLACE,

Medical Officer of Health.

SECTION A. GENERAL STATISTICS.

GENERAL STATISTICS.
Area in acres 5542
Population (Estimated Mid-year 1939) A15580
в15900
Number of inhabited houses end of 1939 as per rate
book 4553
Rateable value £109482
Sum represented by a penny rate £408
SOCIAL CONDITIONS.
These are unchanged since the last report.
EXTRACTS FROM VITAL STATISTICS.
Live Births:— Total Male Female
Legitimate 212 108 104
Illegitimate I4 7 7
Birth rate per 1000 of the estimated
resident population 14'5
Stillbirths:—
Legitimate 4 3 1
Illegitimate 1 1 —
Rate per 1000 total (live and still) births 21'6
Deaths 224 111 113
Death rate per 1000 of the estimated
resident population 14'1
Deaths from diseases and accidents of pregnancy and child-
birth:—
From Puerperal Sepsis Nil
From other Puerperal causes 1
Total 1
Rate per 1000 total (live and still) births 4.3
Death of Infants under one year of age:—
All infants per 1000 live births 22'0
Legitimate infants per 1000 legitimate live
Illegitimate infants per 1000 illegitimate live
Deaths from Cancer (all ages) 33 Deaths from Measles (all ages)
Deaths from Cancer (all ages) 33
Deaths from Measles (all ages)
Deaths from Whooping Cough (all ages)
Deaths from Diarrhœa (under 2 years of age) —
DIDTIIC
BIRTHS.

BIKIHS.

The total number of births was 231. On the estimated population of 15,580 this gives a birth rate of 14'8 per 1000 living, the birth rate of England and Wales being 15'6.

- A Population for calculation of birth rate.
- B Population for calculation of death rate.

DEATHS.

The number of deaths in the district was 224. This gives a crude death rate of 14'1 per 1000 of the estimated resident population. The Registrar General gives a comparability factor of 0'79 which makes a corrected death rate of 11'1, the death rate for England and Wales being 12'1.

CAUSES OF DEATH:

The causes of the 224 deaths were as follows:—

	Causes of Death.			Males	Females
	ALL CAUSES.			111	113
1	Typhoid and paratyphoid fe	vers			
2	Measles				
3	Scarlet Fever				
4	Whooping cough			1	
5	Diphtheria				
6	Influenza			3	1
7	Encephalitis lethargica				
8	Cerebro-spinal fever				
9	Tuberculosis of respiratory	system	1	6	2
10	Other tuberculous diseases				1
11	Syphilis				
12	General paralysis of the ins	sane, t	abes		
	dorsalis	• • •			
13	Cancer, malignant disease			16	17
14	Diabetes		* * *	3	1.0
15	Cerebral hæmorrhage, etc.			4	12
16	Heart disease		• • •	34	34
17	Aneurysm				1
18	Other circulatory diseases			3	12
19	Bronchitis		• • •	1	1
20	Pneumonia (all forms)	* * *	• • •		2
21	Other respiratory diseases		• • •	1	2
22	Peptic ulcer		• • •	2	
23	Diarrhœa, &c. (under 2 year		• • •	_	
24 25	Appendicitis	• • •	• • •	1	2
26	Cirrhosis of liver	• • •	• • •	1	2
27	Other diseases of liver, etc.	• • •	• • •	$\frac{1}{2}$	2
28	Other digestive diseases Acute and chronic nephritis		• • •	2 5	3
40	Acute and curonic nephritis	* * *	• • • •	2	2

	Causes of Death.	Males	Females
	Puerperal sepsis Other puerperal causes Congenital debility, premature birth, malformations, etc Senility Suicide Other violence Other defined diseases Causes ill-defined or unknown Diarrhœa (2 years and over)	4 5 4 11 —	1 3 8 1 4 3 —
SPE	CIAL CAUSES (included in No. 35 above) Small-pox Poliomyelitis Polioencephalitis	 - -	<u>-</u>

INFANT MORTALITY.

The number of deaths under one year was 5, giving an Infant Mortality rate of 22'0 per 1000 registered live births, the rate for England and Wales being 50.

SECTION C.

SANITARY CIRCUMSTANCES OF THE AREA.

1. (i) WATER.

The chlorinating plant for the surface supply was installed during the year. The fact that the chlorine has to be added before filtering has caused some difficulty and has not led to economy in the amount used. The large amount of suspended matter in the water from the reservoirs uses up a very large amount of chlorine.

Repeated samples of the raw, filtered and chlorinated water have been sent for bacteriological analyses and the results obtained have acted as a guide to the efficiency of the sterilisation of the water.

SECTION D. HOUSING.

The outbreak of hostilities has naturally caused consider-

able interference with the housing activities of the Local Authority.

The Council was fortunate in being able to complete its programme for rehousing the overcrowded. Eighteen cases on the books at the end of 1938 and four new cases occurring during 1939 were dealt with and 127 persons concerned were rehoused.

Only 294 houses were inspected under the Public Health and Housing Acts and as a result two houses were found unfit and 225 not reasonably fit for human habitation.

237 defective dwelling-houses were rendered fit, and demolition orders were made in respect of two houses, one of which was demolished.

SECTION E.
Inspection and Supervision of Food.

	Cattle ex-			Shoon	
	cluding Cows	Cows	Calves	Sheep and Lambs	Pigs
Number killed (if known)	76		3 5 0	771	1337
Number Inspected	72		340	751	1307
All diseases except T.B. Carcases of which some part or organ was condemned	• • •			• • •	1
Percentage of the number inspected affected with disease other than T.B		• • •		• • •	'76%
Tuberculosis Only Whole carcases c'demned		a * *			4
Carcases of which some part or organ was condemned				0 + 0	24
Percentage of number inspected affected with Tuberculosis	un versternistrikuns, spinistrikari par	o o c			2.14%

UNSOUND FOOD.

The following table shows the amount of unsound food dealt with during the year.

4 Pigs		Generalized T.B.	 356
1 Pig		Pyaemia	 116
2 Pigs Plucks		Localized T.B.	 19
7 Pigs Heads		Localized T.B.	 48
15 sets Pigs mesenter.	ics	Localized T.B.	 70
Hindquarter Beef		Callouses	 321
Hindquarter Beef		Black Mould	 44
Fourquarter Beef		Unsound	 $222\frac{1}{2}$
Hindquarter Beef		Bruised	 35
1 Lamb		Unsound	 32
Beef Fillets		Unsound	 $373\frac{1}{2}$
6 Tins Corned Beef		Unsound	 17
1 Tin Lunch Tongue		Unsound	 $1\frac{1}{2}$
Fresh Fillets		Unsound	 56
Fresh Mackeral		Unsound	 63
16 Turkeys		Unsound	 95
			$1869\frac{1}{2}$ lbs

SECTION F.

PREVALENCE OF, AND CONTROL OVER, INFECTIOUS AND OTHER DISEASES.

Non notifiable Infectious Diseases.

Measles	 	3
Mumps	 	1
Chicken Pox	 	106
Whooping Cough	 	47
Ringworm	 	6.
Scabies	 	1
German Measles	 	2
Impetigo	 	17
Influenza	 	117
Influenza Colds	 	

300

NOTIFIABLE DISEASES DURING THE YEAR.

Disease	Total cases Notified.	Cases admitted to Hospital.	Total Deaths.
Smallpox Scarlet Fever			_
Puerperal Pyrexia Pneumonia	3	1	
Erysipelas	2	_	_
Encephalitis Lethargica Poliomyelitis	<u> </u>	3	
Ophthalmia Neonatorum	_	_	
Measles *	1		
Totals	22	8	

^{*}Notifiable from 4th Quarter only.

AGE AT DATE OF NOTIFICATION.

Age.	Scarlet Fever	Diphtheria	Enteric Fever	Puerperal Pyrexia	Pneumonia	Erysipelas	Measles	Poliomyelitis	Ophthalmia Neonatorum
Under 1 1 and under 2 2 ,, ,, 3 3 ,, ,, 4 4 ,, ,, 5 5 ,, ,, 10 10 ,, ,, 15 15 ,, ,, 20 20 ,, ,, 35 35 ,, ,, 45 45 ,, ,, 65 65 and over.							1 	1 2 1 —	
Totals	6		,	3	4	2	1	4	

TUBERCULOSIS.

		New Cases.						Dea	ths.	
AGE PERIODS.		Pulmonary		Non- Pulmonary		Totals	Pulmonary		Non- Pulmonary	
	Totals	M	F	M	F	To	M	F	M	F
0 and under 1 1 ,, ,, 5 5 ,, ,, 10 10 ,, ,, 15 15 ,, ,, 20 20 ,, ,, 25 25 ,, ,, 35 35 ,, ,, 45 45 ,, ,, 55 55 ,, ,, 65 65 and upwards.	2 2 2 4 1 3	2								1
Total	13	6	1	4	2	9	6	2		1

